ETERNAL® IN Thermo

Serial Number 0917

Interior paint with thermal insulation properties

Features:

ETERNAL IN Thermo is a single water-soluble paint ready for an aqueous dispersion of acrylic copolymers, pigments, special heat insulating filler and other fillers and special additives. Paints **ETERNAL IN Thermo** are washable and characterized by high whiteness and hiding power, as well as thermal insulation properties.

Usage:

ETERNAL IN Thermo is designed for finishing interior walls of mineral and acrylic plaster and concrete panels, to increase the surface temperature, e.g. on surfaces due to condensation of water.

Technical data:		
Dry matter		min. 58 wt. %
Spec. Weight		0,90–1,05 g/cm ³
Viscosity		min. 12000 mPa.s
рН		8,0–9,5
Drying	grade 1	40 minutes
	grade 5	150 minutes
Content of volatile organic of	compounds (VOC):	
Category/subcategory of product		A/a
Max. volume of VOC in product		15 g/l
		0,0188 kg/kg

Consumption:

0,3–0,4 kg/m² (1 to 2 layers according to the absorbency of the surface)

Shades:

white

Packaging:

0,9 kg and 4 kg plastic containers

Storage:

Store (in the original unopened packaging) between 5–25 °C. It must not freeze!

Application:

ETERNAL IN Thermo is applied by paint brush, wide brush or roller in at least two layers on dry, degreased, clean and smooth surface, so that the consumption equals at least to 0,3 kg/m². Highly absorbent substrates must be primed with **FORTE penetral**. Between the layers of paint, it is necessary to wait 4–8 hours, depending on the temperature and humidity. When applying, the surface and environment must be within 5 °C to 30 °C. Dried paint can be painted over with interior paints, for example **ETERNAL IN**, while there will be no deterioration of thermal insulation properties. Used equipment should be washed after use with water.

Certification:

TZÚS Prague Authorized Person No. 204

Waste disposal:

Included on the safety data sheet of the product.

Safety and hygiene at work:

When following basic hygiene rules **ETERNAL IN Thermo** is not a health hazard. The product is a treated article, contains a biocidal product. It contains a reaction mixture CMIT/MIT (3:1) [Index number: 613-167-00-5]. May cause an allergic reaction. A safety data sheet is available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. It is necessary to use suitable protective clothing, gloves and goggles. Wash skin with soap and water, in case of contact with eyes, flush immediately with water. If irritation does not stop, seek medical help. If accidentally swallowed, seek medical help. Do not induce vomiting. Details are provided in the safety data sheet of the product.