## SAFETY DATA SHEET according to regulation of Europian parliament and Council (ES) number 1907/2006 according Committee regulation (EU) number 878/2020 Date of Issue: 17.08.2023 Version number: 1 No. of pages: Revision date: Replaces version: FORTE VYROVNÁVACÍ HMOTA Product name: 1. Section 1: Identification of substance/mixture and of the company/undertaking 1.1 Product identifier: FORTE VYROVNÁVACÍ HMOTA The product is not a nanoform, nor does it contain any nanoforms. UFI code: CU94-RGPD-YD10-PN1R 1.2 Relevant identified uses of the substance or mixture and uses advised against: 1.2.1 Relevant identified use: Lifecycle phases: PW (wide range of use by professionals - basic) C (consumer use) Usage Name: SU0 Other usage description: Indoor and outdoor leveling compound for horizontal and vertical surfaces. Market description: PC1; PC9a; PC15 Contributing Activity Name: Manual activities involving hand contact Contributing activities descriptor: PROC19 More information: Indoor and outdoor leveling technical function of the product in compound for horizontal and vertical surfaces. this use: 0 - 10 t / yr quantity to be used: No Regulatory status by specific use: limited number of devices for this No use: the subsequent period of use 24 months relevant to this use: ERC2; ERC8c; ERC8f; ERC10a; an overview of environmental release categories for each life ERC11a cycle stage: supplied as a mixture 1.2.2 Uses advised against: all other uses 1.3 Details about the supplier of the safety data sheet: Producer and supplier: AUSTIS a. s. Adress: K Austisu 680, 154 00 PRAHA 5 - Slivenec Telephone number: +420 251 099 111 Fax: +420 251 099 112 austis@austis.cz e-mail 1.4 +420 725 491 378 Emergency telephone number: +420 251 099 247 Centre of the Toxicologicaly information Na Bojišti 1, 120 00 Prague 2, Tel.: +420 224 919 293 C7 Section 2: Hazard identification 2. 2.1 Classification of the substance or mixture The mixture is classified as dangerous. Eye Dam. 1; H318 Classification under Regulation 1272/2008/EU STOT SE 3; H335 Skin Irrit. 2; H315 Skin Sens. 1; H317 2.2 Label elements

Signal word: It contains a hazardous substance:

Hazard Statement:

Symbols:



Cement (Portland) clinker, dust from the production of Portland clinker, Calcium hydroxide

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

	Precautionary Statement:	protection. P305+P351+P338: IF IN EYES several minutes. Remove cont Continue rinsing. P310: Immediately call a POIS P302+P352: IF ON SKIN: Was P332+P313: If skin irritation oc P501: Dispose of contents/con	protective clothing/eye protection/ face S: Rinse cautiously with water for act lenses, if present and easy to do.		
2.3	Other hazards: Other risks:		eria to be classified as PBT or vPvB endocrine disruptor, nor does it		
	Other lisks.	UNKIOWI			
3.	Section 3: Composition / information on ingredients				
<u> </u>	Mixture of cement, graded quartz sand and refining chemicals.				
3.2	Mixtures		0111		
			Silica		
	Content [%]: Index number:		< 60		
			Not Assigned		
	CAS: EC number (EINECS):		14808-60-7 238-878-4		
	REACH Registration number:		Not Assigned		
	Classification according to Directive 1272/2008/EU:		not Assigned		
	Specific concentration limits, M-factors:		Not Assigned		
			Established Exposure limit EH40/2005 (WELs):		
	Chemical name:	Portland cement	Calcium hydroxide		
	Content [%]:	15 - 20	15 - 20		
	Index number:	Not Assigned	Not Assigned		
	CAS:	65997-15-1	1305-62-0		
	EC number (EINECS):	266-043-4	215-137-3		
	REACH Registration number:	Not Assigned	01-2119475151-45-0XXX		
	Classification according to Directive 1272/2008/EU:	Eye Dam. 1; H318 STOT SE 3; H335 Skin Irrit. 2; H315 Skin Sens. 1; H317	Eye Dam. 1; H318 STOT SE 3; H335 Skin Irrit. 2; H315		
	Specific concentration limits, M-factors:	Not Assigned Established Exposure limit EH40/2005 (WELs):	Not Assigned Established Exposure limit EH40/2005 (WELs):		
	Full text of H - phrases in Section 16				
4.	Section 4: First aid measures				
4.1	Description of first aid measures				
	When providing first aid it is necessary to ensure safety of both victim and person rescuing. It is necessary to avoid chaotic behavior. Victim must be kept in mental and physical rest. Victim must be kept warm and must not get cold. Take original container with label or safety data sheet with information about substance or mixture with you in case of medical examination. Inhalation: Break exposure, move to fresh air and protect the victim from cold. Provide medical treatment especially if coughing, shortness of breath or other symptoms persist.				
	When on skin: Put away contaminated clothes and shoes, wash the contaminated spot with plenty of tepid water; if the skin is not irritated, soap can be used; seek doctor's advice, especially if the skin stays irritated. Eye Contact: Rinse eyes with plenty of water (10 to 15 minutes). Keep your eyes opened (even by force if necessary). If the victim is wearing				
	contact lenses remove them immediately. Seek medical attention. Ingestion: Do not induce vomiting! Drink at least 0,5 liters of water with 5 to 10 tablets of crushed charcoal. In case of nausea contact the				
4.2	SDS. Most important symptoms and effects, both acute and delayed				
· · <b>-</b>	The product may have adverse effects through inhalation and if su	wallowed. It can irritate skin, mucous m	embranes and eves		
4.3	Indication of any immediate medical attention and special treatme		Symptomatic treatment		
5.	Section 5: Fire-fighting measures				
5.1	Extinguishing media				

## Unsuitable extinguishing media: not relevant 5.2 Special hazards arising from the substance or mixture: none 5.3 Advice for firefighters: none 6. Section 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures: Appropriate protective gloves, goggles, appropriate clothing, or respirator. 611 For workers except for those intervening in emergency cases - instructions in case of accidental spill and leak of substance or mixture: a) use of appropriate protection (including personal protective equipment according to part 8 BL), in order to avoid any skin, eyes or personal clothing contamination; b) removing possible sources of ignition, providing proper ventilation, control of dust - not relevant c) emergency measures, for example necessary evacuation from dangerous area or consultation with an expert - not relevant 6.1.2 For workers intervening in emergency cases - instructions for appropriate materials of personal protective suits (see part 8 BL) 6.2 Environmental precautions: Prevent environmental pollution - leakage into drains, surface water, groundwater or soil. 6.3 Methods and materials for limitation of leaks and for cleaning: 6.3.1 Instructions for leak limitation of spilled substance or mixture a) enclose the spilled mixture, cover the canalization; b) seal the damaged package 6.3.2 Instructions for removal of spilled substance or mixture Absorb with appropriate agent, hand over to authorized person for disposal. 6.4 Reference to other sections: See also section 7., 8 and 13. 7. Section 7: Handling and storage 7.1 Measures for safe manipulation: 7.1.1 Recomendations: a) Workers handeling the product have to get familiar with health and safety rules for work and have to obey these rules. Secure escape routs (enclosing of leaked mixture, sealing of demaged packages and so on), for fire prevention (remove ignition sources, non-sparkling tools and so on) andlimit the production of aerosol and dust. b) Obey measures for prevention of manipulation with incompatible substances or mixtures (see part 10) in common areas. c) Store in original closed packages in temperature from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources. d) Prevent the contamination of environment, i.e. leak into canalization, surface or underground water and soil. 7.1.2 Instructions for general hygiene of work: a) Do not eat, drink or smoke on work areas. b) After working with product wash your hands with soap and water, eventualy use regeneration hand cream. c) Before entering dining areas, remove contaminated clothing and protective equipment. Conditions for safe storage of substances and mixtures including incompatible substances and mixtures: Store in dry and well-ventilated 7.2 storages in original closed packages in temperatures from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources. Prevent any contact with oxidazing substances, strong acids and bases. Do not store with food, drinks and feed. The product is not a flamable liquid according to ČSN 65 0201. 7.3 Specific end use: see part 1.2; coating procedure and recomendations are listed in technical list of the product, or in other product documentation. 8. Section 8: Exposure controls / personal protection 8.1 Control parameters: Exposure limits EH40/2005 (WELs): Chemical name: Silica, respirable crystalline Portland cement inhalable dust / respirable dust 14808-60-7 65997-15-1 CAS: 0,1 10/4 Long-term exposure limit [mg/m<sup>3</sup>] (TWA/8 h) Short-term exposure limit [mg/m<sup>3</sup>] (15 minut) Chemical name: Calcium hydroxide 1305-62-0 CAS 5 Long-term exposure limit [mg/m<sup>3</sup>] (TWA/8 h) Short-term exposure limit [mg/m<sup>3</sup>] (15 minut) Calcium hydroxide [ES: 215-137-3]: DNEL (Workers, Hazard via inhalation route, Local effects, Long term $1 \text{ mg/m}^3$ exposure) DNEL (Workers, Hazard via inhalation route, Local effects, Acute/short $4 \text{ mg/m}^3$ term exposure) DNEL (General Population, Hazard via inhalation route, Local effects, $1 \text{ mg/m}^3$ Long term exposure) DNEL (General Population, Hazard via inhalation route, Local effects, $4 \text{ mg/m}^3$

0,49 mg/L

Acute/short term exposure)

PNEC aqua (freshwater)

r thorough cleaning. Wash your hands and face with soap and propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipmediational exposure is governed by Directive 89/686/EEC therefore Regulation. Eyes and face protection: Suitable safety goggles (EN 166), face Skin protection: Common safety clothing with long sleave and ster. I Hands protection: suitable protective gloves (made from rubbe reparing hand cream. Sirways protection: with proper area ventilation not required. Wh rter-shiled with gass filter (EN 140, EN 141).	ore any use of personal protective equipment must be in accordance with e shiled. oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product.	
EC soil osure controls sure adequate ventilation. Ensure protective equipment is worn of r thorough cleaning. Wash your hands and face with soap and of propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipm supational exposure is governed by Directive 89/686/EEC theref Regulation. Eyes and face protection: Suitable safety goggles (EN 166), face Skin protection: Common safety clothing with long sleave and st er. 9 Hands protection: suitable protective gloves (made from rubbe reparing hand cream. sirways protection: with proper area ventilation not required. Wh rter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pre- tection against materials, which are considered to be heat hazar ironmental exposure controls: Avoid contamination of surface a etion 9: Physical and chemical properties state Color Dodour:	1080 mg/kg soil dw while working with the product. Contaminated work clothes can be reused water after use. Do not eat, drink or smoke while working with the product. protect the health and make sure the working space is well-ventilated. nent: ore any use of personal protective equipment must be in accordance with a shiled. oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. and groundwater and soil.	
osure controls aure adequate ventilation. Ensure protective equipment is worn or r thorough cleaning. Wash your hands and face with soap and or propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipment propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipment propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipment propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipment propriate engineering controls: Suitable safety goggles (EN 166), face Regulation. Eyes and face protection: Suitable safety goggles (EN 166), face Skin protection: Common safety clothing with long sleave and sheer. ) Hands protection: suitable protective gloves (made from rubber reparing hand cream. Jirways protection: with proper area ventilation not required. What reter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pre- tection against materials, which are considered to be heat hazard irronmental exposure controls: Avoid contamination of surface a <b>Etion 9: Physical and chemical properties</b> frate Color Dodur:	while working with the product. Contaminated work clothes can be reused water after use. Do not eat, drink or smoke while working with the product. protect the health and make sure the working space is well-ventilated. eent: ore any use of personal protective equipment must be in accordance with e shiled. oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil.	
sure adequate ventilation. Ensure protective equipment is worn or r thorough cleaning. Wash your hands and face with soap and r propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipm supational exposure is governed by Directive 89/686/EEC theref Regulation. Eyes and face protection: Suitable safety goggles (EN 166), face Skin protection: Common safety clothing with long sleave and sh er. Hands protection: suitable protective gloves (made from rubbe reparing hand cream. Airways protection: with proper area ventilation not required. Wh rter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pre- tection against materials, which are considered to be heat hazard irronmental exposure controls: Avoid contamination of surface a <b>Etion 9: Physical and chemical properties</b> rmation on basic physical and chemical properties State Color	vater after use. Do not eat, drink or smoke while working with the product. protect the health and make sure the working space is well-ventilated. nent: ore any use of personal protective equipment must be in accordance with e shiled. oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil.	
r thorough cleaning. Wash your hands and face with soap and propriate engineering controls: Observe the usual precautions to vidual protection measures, such as personal protective equipment expansional exposure is governed by Directive 89/686/EEC therefore Regulation. Eves and face protection: Suitable safety goggles (EN 166), face Skin protection: Common safety clothing with long sleave and sher. 1) Hands protection: suitable protective gloves (made from rubbe reparing hand cream. airways protection: with proper area ventilation not required. Where the shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of presection against materials, which are considered to be heat hazard ironmental exposure controls: Avoid contamination of surface a state color.	vater after use. Do not eat, drink or smoke while working with the product. protect the health and make sure the working space is well-ventilated. nent: ore any use of personal protective equipment must be in accordance with e shiled. oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil.	
vidual protection measures, such as personal protective equipment supational exposure is governed by Directive 89/686/EEC theref Regulation. Eyes and face protection: Suitable safety goggles (EN 166), face Skin protection: Common safety clothing with long sleave and sheer. Hands protection: suitable protective gloves (made from rubber reparing hand cream. Sirways protection: with proper area ventilation not required. Whe rter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pu- tection against materials, which are considered to be heat hazard ironmental exposure controls: Avoid contamination of surface a stion 9: Physical and chemical properties rmation on basic physical and chemical properties State Color	eent: ore any use of personal protective equipment must be in accordance with e shiled. oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil.	
<ul> <li>By the second second</li></ul>	ore any use of personal protective equipment must be in accordance with e shiled. oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil.	
Regulation. Eyes and face protection: Suitable safety goggles (EN 166), face Skin protection: Common safety clothing with long sleave and she er. Hands protection: suitable protective gloves (made from rubber reparing hand cream. Airways protection: with proper area ventilation not required. Wh rter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pre- tection against materials, which are considered to be heat hazard irronmental exposure controls: Avoid contamination of surface a <b>Etion 9: Physical and chemical properties</b> from on basic physical and chemical properties State Color Doour:	e shiled. loes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. Ind groundwater and soil.	
skin protection: Common safety clothing with long sleave and sher. Hands protection: suitable protective gloves (made from rubber reparing hand cream. inways protection: with proper area ventilation not required. Whe rter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pro- tection against materials, which are considered to be heat hazard irronmental exposure controls: Avoid contamination of surface a <b>Etion 9: Physical and chemical properties</b> rmation on basic physical and chemical properties State Color Doour:	oes; take of the contaminated clothing and wash your skin with soap and r - according to EN 374), wash your hands with soap and water after work, en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil.	
reparing hand cream. sirways protection: with proper area ventilation not required. Wh rter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pro- tection against materials, which are considered to be heat hazard irronmental exposure controls: Avoid contamination of surface a <b>Extion 9: Physical and chemical properties</b> rmation on basic physical and chemical properties State Color Doour:	en spraying, face half-shiled is recomended for gass filtration (EN 405) or ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil.	
rter-shiled with gass filter (EN 140, EN 141). Heat hazard: Special attention must be paid to construction of pretection against materials, which are considered to be heat hazar ironmental exposure controls: Avoid contamination of surface a stion 9: Physical and chemical properties rmation on basic physical and chemical properties State Color Dodour:	ersonal protective measures, when specifying protective measures for d. Not relevant for this product. nd groundwater and soil. loose material gray	
ection against materials, which are considered to be heat haza ironmental exposure controls: Avoid contamination of surface a ction 9: Physical and chemical properties rmation on basic physical and chemical properties State Color Odour:	d. Not relevant for this product. nd groundwater and soil. loose material gray	
tion 9: Physical and chemical properties rmation on basic physical and chemical properties State Color Odour:	loose material gray	
rmation on basic physical and chemical properties State Color Ddour:	gray	
rmation on basic physical and chemical properties State Color Ddour:	gray	
State Color Odour:	gray	
Color Odour:	gray	
Ddour:		
	Not specified	
Aelting/Freezing point (temperature range) (°C):	Not specified	
Boiling point or initial boiling point and boiling range (°C)	Not specified	
ombustibility:	Not specified	
Explosion limints: upper limit (% volume):	Not specified	
lower limit (% volume):	Not specified	
Point of ignition:	Not specified	
emperature of self-ignition:	Not specified	
emperature of decomposition (°C):	Not specified	
H (23 °C)	11,0 - 13,5 (when mixed with water)	
inematic viscosity:	Not specified	
Solubility (23 °C)		
with water:	up to 1,5 g/L with water	
with fats:	Not specified	
Partition coefficient n - octanol/water:	Not specified	
Steam pressure (20 °C):	Not specified	
Density and/or relative density (20 °C): Relative viscosity of steam (at °C):	approximately 1,7 - 1,9 g.cm <sup>-3</sup> (20 °C) Not specified	
	Not specified	
	Not specified	
	la contracta const	
	is not relevant	
-		
	Not specified	
amic viscosity:	Not specified	
losive properties:	Not specified	
dizing properties:	Not specified	
tion 10: Stability and reactivity		
	ons	
-	-	
Chemical stability: Product is stable under recommended storage and handling conditions. The product contains a reducing agent with a limited duration of action		
sibility of hazardous reactions: unknown		
sibility of hazardous reactions: unknown nditions to avoid: uncontrolled contact with water and acids.		
sibility of hazardous reactions: unknown iditions to avoid: uncontrolled contact with water and acids. ompatible materials: water and acids	nixture itself is a product of thermal decomposition, it is dangerous to inhale	
	articles characteristics: er information: mation about class of physical hazard: er safety characteristics poration rate: amic viscosity: osive properties: lizing properties: tion 10: Stability and reactivity fluct is stable under recommended storage and handling conditi ctivity: Product is not reactive under recommended storage and mical stability: Product is stable under recommended storage and ed duration of action sibility of hazardous reactions: unknown ditions to avoid: uncontrolled contact with water and acids. mpatible materials: water and acids	

11.	Section 11: Toxicological information				
11.1	Information about hazard classes acording to (ES) č. 1272/2008				
	a) acute toxicity:	the classification cirteria are not met based on avilable information			
	- LD <sub>50</sub> , oral, rat (mg.kg <sup>-1</sup> ):	the classification cirteria are not met based on avilable information			
	- $LD_{50}$ , dermal, rat or rabbit (mg.kg <sup>-1</sup> ):	the classification cirteria are not met based on avilable information			
	- LC <sub>50</sub> , by inhalation, rat, for aerosols or particles (mg.kg <sup>-1</sup> ):	the classification cirteria are not met based on avilable information			
	- LC <sub>50</sub> , by inhalation, human, for quartz-sand dust (mg.kg <sup>-1</sup> ):	0,3 (for intermittent exposure for 10 years)			
	b) corrosivity/skin irritation:	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information			
	c) serious eye damage / eyes irritation:				
	d) sensitivity of airways / sensitivity of skin:				
	e) germ cells mutagenicity:				
	f) carcinogenicity:				
	g) toxicity for reproduction:	the classification cirteria are not met based on avilable information			
	h) toxicity for specific organs - single exposure:	May cause respiratory irritation.			
	i) toxicity for specific organs - multiple exposures:	the classification cirteria are not met based on avilable information			
	j) hazards while inhaled:	the classification cirteria are not met based on avilable information			
	Human experience:				
		In the form of dust even after mixing with water seriously damages eyes, irritates the respiratory system and skin. For very sensitive people there is a risk of sensitization by prolonged skin contact.			
	Tests on animals:	Not performed			
11.1.1	Information for each hazard class or breakdown:	see above			
11.1.2	Toxicological properties of mixture	not avilable			
	cement (CAS: 65997-15-1), calcium hydroxide (CAS: 1305-62-0) and				
	silica (CAS: 14808-60-7)	see part 8			
11.1.3	If enough information from substance/mixture trials exist, it might be necessary to sum up results of used studies, for example according to exposure run	not relevant			
11.1.4	If the classification criteria are not met for specific hazard class, information explaining the justification should be stated.	relevant concentration limits were not exceeded			
11.1.5	Information about likely exposure run	no effects on human health are known			
11.1.6	Symptoms corresponding to physical, chemical and toxicological features	no effects on human health are known			
11.1.7	Belated and immediate effects and chronical effects of short/long term exposure	no effects on human health are known			
11.1.8	Interactive effects	unknown			
11.1.9	Lack of specific data	not relevant			
	Mixtures	see part 8			
11.1.11	Mixtures information compared to substance information				
	1) Substances in the mixture can react with each other inside of a body and can cause different levels of absorption, metabolism and				
	2) It is necessary to consider, if concentration of each substance is sufficient to contribute on mixture's effects on health. For each substance				
	a) if the information are doubled, they are listed only once for a substance as a whole, for example when two different substances are causing vomiting and diarrhea;	Not relevant for this mixture.			
	b) if it is not likely the effects will appear with current concentrations, for example when weak irritating substance is disolved in non-irritating solution to a level under certain concentration;	Not relevant for this mixture.			
	c) if the information about mutual effects of substances in the mixture are unavilable, no assumptions will be listed and instead effects on healtf of each substance will be listed.	see part 8			
11.1.12	Additional data:	None			
11.2	Other hazards information				
11.2.1	Features causing disruption of endocrinal system	Not relevant for this mixture.			
11.2.2	Other information	None			
12.	Section 12: Ecological information				
12.1	Toxicity				
	Acute toxicity for water organisms:				
	- LC <sub>50</sub> , 96 hours, fish (mg/kg):	Not set			
	- LC <sub>50</sub> , 48 hours, fish (mg/kg):	Not set			
	- IC <sub>50</sub> , 72 hours, algae (mg/kg):	Not set			
	Toxicity to other environments:	not determined, the mixture is poorly soluble in water, but if large quantities leak, the aquatic environment may strongly alkaline and therefore damage aquatic organisms			
12.2	Persistence and degradability:	it is assumed that it is practically non-existent			

12.3	Bioaccumulative potential:	Not set		
12.4	Mobility in soil:	small even in unused state, in hardened state it is immobile		
12.5	Results of PBT and vPvB	The mixture does not meet the criteria for classification as PBT or vPvB.		
12.6	Features causing disruption of endocrinal systém	Unknown for this mixture		
12.7	Other adverse effects:	See Section 2		
	Additional data:	The product must not leak into surface and groundwater. Notify competent authorities immediately in case of accident.		
13.	Section 13: Disposal considerations			
13.1	Methods of waste management: a) Appropriate methods of substance, mixture and contaminated packaging disposal: Dispose of unused product residue through authorized personnel. Dispose of used / contaminated packaging through authorized personnel. b) Physical / chemical properties that can affect ways of waste handling: unknown			
	c) Avoid disposal through sewer: It is necessary to prevent leakage of both components and hardened mixture into drains.			
	d) Special precautions for the recommended waste management: Avoid contact with skin, mucous membranes and eyes.			
14.	Section 14: Transport information			
14.1	UN number or ID number	Not specified		
	Required shipping label:			
	ADR/RID/ADN:	Not specified		
	IMDG:	Not specified		
	ICAO TI:	Not specified		
14.2	Proper name of United Nations for the shipment			
	ADR/RID/ADN:	Not specified		
	IMDG:	Not specified		
	ICAO TI:	Not specified		
14.3	Transport hazard class(es):			
	ADR/RID/ADN:	Not specified		
	IMDG:	Not specified		
	ICAO TI:	Not specified		
14.4	Packing group:			
	ADR/RID/ADN:	Not specified		
	IMDG:	Not specified		
	ICAO TI:	Not specified		
14.5	Environmental hazards:	Not specified		
14.6	Special precautions for user:	See Section 8		
	Special provisions (ADR):	Not specified		
14.7	Naval mass-transport according to instrumenst IMO:	Not applicable		
	Notes:	None		
	Additional data:	None		
15.	Section 15: Regulatory information			
15.1	Section 15: Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture.			
	Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and			
1	Restriction of Chemicals establishing European Chemicals Agency, as amended			
	Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) as amended			
	Commision directive (EU) No. 878/2020			
	EH40/2005 Workplace exposure limits (second edition, published 2011). Containing the list of workplace exposure limits for use with the			
45.0	Control of Substances Hazardous to Health Regulations (as ame	•		
15.2	Assessment of chemical safety of mixture:	Not performed		
16.	Section 16: Other information			
	Information stated in this safety data sheet is based on the current knowledge of EU legislation. It is a recommendation in terms of health and safety as well as recommendation related to ecological matters that are essential to safe usage of the product.			
	a) New edition.			
	b) key or legend for abbreviations and accronyms used in the safety data sheet:			
	$LD_{50}$ The lethal dose for 50 % mortality of the test population relative to a control sample.			
	$LC_{50}$ Lethal concentration for 50 % mortality of the test population relative to a control sample.			
	$EC_{50}$ Effective concentration for 50 % mortality of the test population relative to a control sample.			
	$EC_{10}$ Effective concentration for 10 % mortality of the test population relative to a control sample.			
	$IC_{50}$ Inhibitory concentration to reduce the growth or growth rate of 50% of the test population relative to a control sample.			
l				

- LL<sub>50</sub> Lethal loading doses of test substance resulting in 50% mortality
- EL<sub>50</sub> Effective loading doses of test substance resulting in 50% mortality
- PBT Persistent, bioaccumulative and toxic substances.
- vPvB Very persistent and very bioaccumulative substances.
- DNEL Derived No Effect Level derived concentration of the substance without adverse effects
- DMEL Derived Minimum Effect Level derived minimum level at which the adverse effects
- NOAEL No Observed Adverse Effect Level no negative effect was observed
- PNEC Predicted No Effect Concentration an estimate of the concentration of the substance without adverse effects
- NOELR No Observed Effect Loading Rate dosage rate without observed effect
- NOEC No Observed Effect Concentration concentration without observed effect
- NOEL No Observed Effect Level level without observed effect
- LOEC Lowest Observed Effect Concentration lowest concentrations with observable effects
- ADR European Agreement concerning the international carriage of dangerous goods by road.
- RID Regulations concerning the international carriage of dangerous goods by rail.
- IMDG International maritime code of dangerous goods.
- ICAO The International Civil Aviation Organization.
- IATA International Air Transport Association.
- GHS Globally Harmonized System of Classification and Labelling of Chemical substances.

c) important references to literature and data sources

Initial data sources are safety data sheets of the inherent (components).

d) in case of mixture, statement about evaluation method used for classification according to article 9 of directive (ES) number 1272/2008 For evaluation purposes, principles of extrapolation were used. Calculation methods.

e) List of H-sentences, whose full form is not listed in other parts.

H315	Causes skin irritation.
H317	May cause an allergic skin reaction
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Guidelines for training:

As required by national legislation.

## Recommended restrictions on use (i. e. non-statutory recommendations by supplier):

Product should not be used for other purposes than specified (see section 1.2). Because specific conditions of use are beyond supplier's control, it is the responsibility of the user to adapt all the mentioned information to local law and regulations. Safety information describe the product with regard to safety and cannot be considered technical information about the product.