

# SAFETY DATA SHEET



According to Regulation (EC) No. 1907/2006 and Commission Regulation (EU)  
No. 878/2020

Date of Issue:	10. 05. 2024	Version number:	1	No. of pages:	9
Revision date:		Replaces version:	-		
Product name:	<b>ETERNAL HYDROFOBIZACE W</b>				

## 1. Section 1: Identification of substance/mixture and of the company/undertaking

1.1	Product identifier:	<b>ETERNAL HYDROFOBIZACE W</b>		
	The product is not a nanoform, nor does it contain any nanoforms.			
	UFI code:	<b>G0WX-EUW2-P61S-5JT3</b>		
1.2	Relevant identified uses of the substance or mixture and uses advised against:			
1.2.1	Relevant identified use:			
	Life cycle phases:	PW (wide use by professionals - basic) C (consumer use) SU0		
	Usage Name:	SU0		
	Other usage description:	a hydrophobizing agent		
	Market description:	PC9a; PC15		
	Contributing Activity Name:	roller or brush application non-industrial spraying techniques		
	Contributing activities descriptor:	PROC10 PROC11		
	More information:	technical function of the product in a hydrophobizing agent this use: quantity to use: 0 - 10 t / yr Regulatory status by use: No a limited number of devices for this use: No the subsequent period of use relevant to this use: 24 months an overview of environmental release categories for each life cycle stage: ERC2; ERC8c; ERC8f; ERC10a; ERC11a supplied as a mixture all other uses		
1.2.2	Uses advised against:			
1.3	Details of the supplier of the safety data sheet:			
	Producer and supplier:	<b>AUSTIS a. s.</b>		
	Address:	<b>K Austisu 680, 154 00 PRAHA 5 - Slivenec</b>		
	Telephone number:	<b>+420 251 099 111</b>		
	Fax:	<b>+420 251 099 112</b>		
	e-mail	<a href="mailto:austis@austis.cz">austis@austis.cz</a>		
1.4	Emergency telephone number:	<b>+420 251 099 247</b> <b>+420 725 491 378</b>		
	Centre of the Toxicological information Na Bojišti 1, 120 00 Prague 2, CZ	<b>Tel.: +420 224 919 293</b>		

## 2. Section 2: Hazard identification

2.1	Classification of the substance or mixture	The mixture is classified as dangerous.	
	Classification under Regulation 1272/2008/EU	Skin Irrit. 2; H315 Aquatic Chronic 3; H412	
2.2	Label elements		
	Symbols:	<b>GHS 07</b> 	
	Signal word:	<b>Warning</b>	
	It contains a hazardous substance:	Triethoxyoctylsilane, mixture [EC: 614-604-2], oktamethylcyclotetrasiloxane [ES: 209-136-7] and dodecan-1-ol, ethoxylated	
	Hazard Statement:	H315: Causes skin irritation. H412: Harmful to aquatic life with long lasting effects.	

	Precautionary Statement:	<p>P264: Wash your hands thoroughly after handling.</p> <p>P273: Avoid release to the environment.</p> <p>P280: Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302+P352: IF ON SKIN: Wash with plenty of soap and water.</p> <p>P333+P313: If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P501: Dispose of contents/container in accordance with relevant national legislation.</p>
2.3	Other hazards:	<p>The mixture contains OKTAMETHYLCYCLOTETRASILOXANE, which was included in the List of Substances of Very High Concern subject to Authorisation (Annex XIV of REACH) by Commission Regulation (EU) 2018/35 of 10 January 2018.</p> <p>The mixture is not endocrine disruptor, nor does it contain any.</p>
	Other risks:	<p>EUH208: It contains a reaction mixture: CMIT/MIT (3:1) [Index number: 613-167-00-5]. May cause an allergic reaction.</p> <p>EUH210: A safety data sheet is available on request.</p>

3.	<b>Section 3: Composition / information on ingredients</b>		
	Aqueous silane-siloxane emulsion and additives.		
3.2	Mixtures		
	Chemical name:	Triethoxyoctylsilane	DIMETHYL SILOXANE WITH AMINOETHYLAMINO PROPYLSILSESQUI OXANE, HYDROXY-TERM
	Content [%]:	< 10	< 1,5
	Index number:	Not Assigned	Not Assigned
	CAS:	2943-75-1	68554-54-1
	EC number (EINECS):	220-941-2	614-604-2
	REACH Registration number:	01-2119972313-39-0XXX	Not Assigned
	Classification according to Directive 1272/2008/EU:	Skin Irrit. 2; H315	Skin Irrit. 2; H315 Eye Irrit. 2; H319
	Specific concentration limits, M-factors:	Not Assigned	Not Assigned
	Chemical name:	Dodecan-1-ol, ethoxylated	OCTAMETHYLCYCLO TETRASILOXANE
	Content [%]:	< 0,5	< 0,125
	Index number:	Not Assigned	014-018-00-1
	CAS:	9002-92-0	556-67-2
	EC number (EINECS):	500-002-6	209-136-7
	REACH Registration number:	01-2119968561-30-0XXX	01-2119529238-36-0XXX
	Classification according to Directive 1272/2008/EU:	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	Flam. Liq. 3; H226 Repr. 2; H361f Aquatic Chronic 1; H410
	Specific concentration limits, M-factors:	Not Assigned	Not Assigned  Commission Regulation (EU) 2018/35 of 10 January 2018 included in the List of substances of very high concern subject to authorization (Annex XIV to REACH).
			<p>1. Shall not be placed on the market in washable cosmetic products at a concentration of one or the other of 0,1% or more by weight after 31 January 2020.</p> <p>2. For the purposes of this entry, 'washable cosmetic products' means cosmetic products as defined in Article 2, paragraph (1) lett. (a) of the Regulation (EC) No 1223/2009 which, under normal conditions of use, wash off with water after application.</p>
	Chemical name:	Mixture CMIT - MIT	
	Content [%]:	< 0,0015	

Index number:	613-167-00-5
CAS:	55965-84-9
EC number (EINECS):	Not Assigned
REACH Registration number:	Not Assigned
Classification according to Directive 1272/2008/EU:	Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071
Specific concentration limits, M-factors:	Skin Corr. 1B; H314: C ≥ 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M = 100 (acute) M = 100 (chronic)
Full text of H - phrases in Section 16	

#### 4. Section 4: First aid measures

##### 4.1 Description of first aid measures

When providing first aid it is necessary to ensure safety of both victim and person rescuing. It is necessary to avoid chaotic behavior. Victim must be kept in mental and physical rest. Victim must be kept warm and must not get chilled. Take original container with label or safety data sheet with information about substance or mixture with you in case of medical examination.

Inhalation: Break exposure, move to fresh air protecting the victim from cold. Provide medical treatment especially if coughing, shortness of breath or other symptoms persist.

When on skin: Put away contaminated clothes and shoes, wash the contaminated spot with plenty of tepid water; if the skin is not irritated, soap can be used; seek doctor's advice, especially if the skin stays irritated.

Eye Contact: Rinse eyes with plenty of water (10 to 15 min). Keep eyes open (even by force if necessary). If the victim is wearing contact lenses remove them immediately. Seek medical attention.

Ingestion: Do not induce vomiting! Drink at least 0.5 liters of water with 5 to 10 tablets of crushed charcoal. In case of nausea contact the Toxicology Information Centre for need of medical treatment with information about composition of the mixture from the original container or SDS.

##### 4.2 Most important symptoms and effects, both acute and delayed

The product may have adverse effects through inhalation and if swallowed. It can irritate skin, mucous membranes and eyes.

##### 4.3 Indication of any immediate medical attention and special treatment needed: Symptomatic treatment

#### 5. Section 5: Fire-fighting measures

##### 5.1 Extinguishing media

Suitable extinguishing media: The product is not inflammable. Water spray (water mist), foam, carbon dioxide, dry powder.

Unsuitable extinguishing media: The strong water current. It can be spread fire.

##### 5.2 Specific danger linked to the substance or mixture: Burning may produce carbon monoxide, SiO<sub>2</sub>, chlorine and nitrogen compounds.

##### 5.3 Advice for firefighters: wear a breathing apparatus and protective clothing.

#### 6. Section 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures: Appropriate protective gloves, goggles, appropriate clothing, or respirator.

##### 6.1.1 For workers except for those intervening in emergency cases - instructions in case of accidental spill and leak of substance or mixture:

a) use of appropriate protection (including personal protective equipment according to part 8 BL), in order to avoid any skin, eyes or personal clothing contamination;

b) removing possible sources of ignition, providing proper ventilation, control of dust - not relevant

c) emergency measures, for example necessary evacuation from dangerous area or consultation with an expert - not relevant

##### 6.1.2 For workers intervening in emergency cases - instructions for appropriate materials of personal protective suits (see part 8 BL)

##### 6.2 Environmental precautions: Prevent environmental pollution - leakage into drains, surface water, groundwater or soil.

##### 6.3 Methods and materials for limitation of leaks and for cleaning:

##### 6.3.1 Instructions for leak limitation of spilled substance or mixture

a) enclose the spilled mixture, cover the canalization;

b) seal the damaged package

##### 6.3.2 Instructions for removal of spilled substance or mixture

Absorb with appropriate agent, hand over to authorized person for disposal.

##### 6.4 Reference to other sections: See also section 7., 8 and 13.

- 7. Section 7: Handling and storage**
- 7.1 Measures for safe manipulation:
- 7.1.1 Recommendations:
- a) Workers handling the product have to get familiar with health and safety rules for work and have to obey these rules. Secure escape routes (enclosing of leaked mixture, sealing of damaged packages and so on), for fire prevention (remove ignition sources, non-sparkling tools and so on) and limit the production of aerosol and dust.
  - b) Obey measures for prevention of manipulation with incompatible substances or mixtures (see part 10) in common areas.
  - c) Store in original closed packages in temperature from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources.
  - d) Prevent the contamination of environment, i.e. leak into canalization, surface or underground water and soil.
- 7.1.2 Instructions for general hygiene of work:
- a) Do not eat, drink or smoke on work areas.
  - b) After working with product wash your hands with soap and water, eventually use regeneration hand cream.
  - c) Before entering dining areas, remove contaminated clothing and protective equipment.
- 7.2 Conditions for safe storage of substances and mixtures including incompatible substances and mixtures: Store in dry and well-ventilated storages in original closed packages in temperatures from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources. Prevent any contact with oxidizing substances, strong acids and bases. Do not store with food, drinks and feed. The product is not a flammable liquid according to ČSN 65 0201.
- 7.3 Specific end use: see part 1.2; coating procedure and recommendations are listed in technical list of the product, or in other product documentation.

**8. Section 8: Exposure controls / personal protection**

8.1	Control parameters:	
	Exposure limits EH40/2005 (WELs):	Not Assigned
	<b>Triethoxyoctylsilane (ES: 220-941-2):</b>	
	DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	16 mg/m <sup>3</sup>
	NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	528 mg/m <sup>3</sup>
	DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)	16 mg/m <sup>3</sup>
	DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	9 mg/kg bw/day
	NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	300 mg/kg bw/day
	DNEL (Workers, Hazard via dermal route, Systemic effects, Acute/short term exposure)	9 mg/kg bw/day
	DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	5,4 mg/m <sup>3</sup>
	NOAEC (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	261 mg/m <sup>3</sup>
	DNEL (General Population, Hazard via inhalation route, Systemic effects, Acute/short term exposure)	5,4 mg/m <sup>3</sup>
	DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	6,2 mg/kg bw/day
	NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	300 mg/kg bw/day
	DNEL (General Population, Hazard via dermal route, Systemic effects, Acute/short term exposure)	6,2 mg/kg bw/day
	DNEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	6,2 mg/kg bw/day
	NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	300 mg/kg bw/day
	DNEL (General Population, Hazard via oral route, Systemic effects, Acute/short term exposure)	6,2 mg/kg bw/day
	PNEC aqua (freshwater)	0,006 mg/L
	PNEC aqua (marine water)	0,001 mg/L
	PNEC STP	100 mg/L
	PNEC sediment (freshwater)	2,34 mg/kg sediment dw
	PNEC sediment (marine water)	0,23 mg/kg sediment dw
	PNEC soil	0,09 mg/kg soil dw
	PNEC oral (Hazard for predators)	10 g/kg food
	<b>Dodecan-1-ol, ethoxylated (ES: 500-002-6):</b>	
	DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	5,51 mg/m <sup>3</sup>
	NOAEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	220,395 mg/m <sup>3</sup>

DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	3,125 mg/kg bw/day
NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	125 mg/kg bw/day
DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	1,359 mg/m <sup>3</sup>
NOAEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	108,696 mg/m <sup>3</sup>
DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	1,562 mg/kg bw/day
NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	125 mg/kg bw/day
DNEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	0,781 mg/kg bw/day
NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	62,5 mg/kg bw/day
PNEC aqua (freshwater)	0,002 mg/L
PNEC aqua (marine water)	0,000 mg/L
PNEC STP	0,312 mg/L
PNEC sediment (freshwater)	9,712 mg/kg sediment dw
PNEC sediment (marine water)	9,712 mg/kg sediment dw
PNEC soil	4,172 mg/kg soil dw

**Octamethylcyclotetrasiloxane (ES: 209-136-7):**

DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	73 mg/m <sup>3</sup>
NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	915 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)	73 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)	73 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Local effects, Acute/short term exposure)	73 mg/m <sup>3</sup>
DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	13 mg/m <sup>3</sup>
NOAEC (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	325 mg/m <sup>3</sup>
DNEL (General Population, Hazard via inhalation route, Systemic effects, Acute/short term exposure)	13 mg/m <sup>3</sup>
DNEL (General Population, Hazard via inhalation route, Local effects, Long term exposure)	13 mg/m <sup>3</sup>
DNEL (General Population, Hazard via inhalation route, Local effects, Acute/short term exposure)	13 mg/m <sup>3</sup>
DNEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	3,7 mg/kg bw/day
NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	373,75 mg/kg bw/day
DNEL (General Population, Hazard via oral route, Systemic effects, Acute/short term exposure)	3,7 mg/kg bw/day
PNEC aqua (freshwater)	0,44 mg/L
PNEC aqua (marine water)	0,044 mg/L
PNEC STP	10 mg/L
PNEC sediment (freshwater)	3 mg/kg sediment dw
PNEC sediment (marine water)	0,3 mg/kg sediment dw
PNEC soil	0,16 mg/kg soil dw
PNEC oral (Hazard for predators)	41 g/kg food

8.2 Exposure controls

Ensure adequate ventilation. Ensure protective equipment is worn while working with the product. Contaminated work clothes can be reused after thorough cleaning. Wash your hands and face with soap and water after use. Do not eat, drink or smoke while working with the product.

8.2.1 Appropriate engineering controls: Observe the usual precautions to protect the health and well-ventilated.

8.2.2 Individual protection measures, such as personal protective equipment:

Occupational exposure is governed by Directive 89/686/EEC therefore any use of personal protective equipment must be in accordance with this Regulation.

a) Eyes and face protection: Suitable safety goggles (EN 166), face shield.

b) Skin protection: Common safety clothing with long sleeve and shoes; take off the contaminated clothing and wash your skin with soap and water.

b-1) Hands protection: suitable protective gloves (made from rubber - according to EN 374), wash your hands with soap and water after work, use repairing hand cream.

	c) Airways protection: with proper area ventilation not required. When spraying, face half-shielded is recommended for gas filtration (EN 405) or quarter-shielded with gas filter (EN 140, EN 141).	
	d) Heat hazard: Special attention must be paid to construction of personal protective measures, when specifying protective measures for protection against materials, which are considered to be heat hazard. Not relevant for this product.	
8.2.3	Environmental exposure controls: Avoid infiltration of surface and groundwater and soil.	
9.	<b>Section 9: Physical and chemical properties</b>	
9.1.	Information on basic physical and chemical properties	
	a) State	low viscosity liquid
	b) Color	milky white
	c) Odour:	Characteristic, after the raw materials used
	Odor threshold:	Not specified
	d) Melting/Freezing point (temperature range) (°C):	Not specified
	e) Boiling point or initial boiling point and boiling range (°C)	approximately 100
	f) Combustibility:	non-flammable liquid
	g) Explosion limits: upper limit (% volume):	Not specified
	lower limit (% volume):	Not specified
	h) Point of ignition:	Not specified
	i) Temperature of self-ignition:	Not specified
	j) Temperature of decomposition (°C):	Not specified
	k) pH (23 °C)	5,0 - 8,0 (23 °C)
	l) Kinematic viscosity:	Not specified
	m) Solubility (23 °C)	
	- with water:	unlimited miscibility with water
	- with fats:	Not specified
	n) Partition coefficient n - octanol/water:	Not specified
	o) Steam pressure (20 °C):	Not specified
	p) Density and/or relative density (20 °C):	approximately 1,0 g.cm <sup>-3</sup> (20 °C)
	q) Relative viscosity of steam (at °C):	Not specified
	r) Particles characteristics:	Not specified
9.2	Other information:	
9.2.1	Information about class of physical hazard:	is not relevant
9.2.2	Other safety characteristics	
	Evaporation rate:	Not specified
	Dynamic viscosity:	Not specified
	Explosive properties:	Not specified
	Oxidizing properties:	Not specified
	VOC	21,5 g/l
10.	<b>Section 10: Stability and reactivity</b>	
	Product is stable under recommended storage and handling conditions.	
10.1	Reactivity: Product is not reactive under recommended storage and handling conditions.	
10.2	Chemical stability: Product is stable under recommended storage and handling conditions.	
10.3	Possibility of hazardous reactions: In case of contact with substances reacting dangerously with water.	
10.4	Conditions to avoid: Temperatures below 0 °C and above 100 °C cause degradation of the product. Temperatures above recommended storage temperature reduce life of the product.	
10.5	Incompatible materials: Substances reacting with water, strong oxidizing agents.	
10.6	Hazardous Decomposition Products: Carbon monoxide, SiO <sub>2</sub> , chlorine and nitrogen compounds may form during burning.	
11.	<b>Section 11: Toxicological information</b>	
11.1	Information about hazard classes according to (ES) č. 1272/2008	
	a) acute toxicity:	
	- LD <sub>50</sub> , oral, rat (mg.kg <sup>-1</sup> ):	the classification criteria are not met based on available information
	- LD <sub>50</sub> , dermal, rat or rabbit (mg.kg <sup>-1</sup> ):	the classification criteria are not met based on available information
	- LC <sub>50</sub> , inhalation, rat, for aerosols or particles (mg.kg <sup>-1</sup> ):	the classification criteria are not met based on available information
	- LC <sub>50</sub> , inhalation, rat, for gases and vapours (mg.kg <sup>-1</sup> ):	the classification criteria are not met based on available information
	b) corrosivity/skin irritation:	Causes skin irritation.
	c) serious eye damage / eyes irritation:	the classification criteria are not met based on available information
	d) sensitivity of airways / sensitivity of skin:	the classification criteria are not met based on available information
	e) germ cells mutagenicity:	the classification criteria are not met based on available information
	f) carcinogenicity:	the classification criteria are not met based on available information
	g) toxicity for reproduction:	the classification criteria are not met based on available information
	h) toxicity for specific organs - single exposure:	the classification criteria are not met based on available information
	i) toxicity for specific organs - multiple exposures:	the classification criteria are not met based on available information

j) hazards while inhaled: Human experience:  Tests on animals:	the classification criteria are not met based on available information No detrimental effects were found upon compliance with the prescribed safety measures.  Were not performed
11.1.1 Information for each hazard class or breakdown:	see above
11.1.2 Toxicological properties of mixture Triethoxyoctylsilane (ES: 220-941-2); Dodekan-1-ol, ethoxylated (ES: 500-002-6) a Oktamethylcyklo tetrasiloxane (ES: 209-136-7)	not relevant see part 8
11.1.3 If enough information from substance/mixture trials exist, it might be necessary to sum up results of used studies, for example according to exposure run	not relevant
11.1.4 If the classification criteria are not met for specific hazard class, information explaining the justification should be stated.	relevant concentration limits were not exceeded
11.1.5 Information about likely exposure run	no effects on human health are known
11.1.6 Symptoms corresponding to physical, chemical and toxicological features	no effects on human health are known
11.1.7 Belated and immediate effects and chronical effects of short/long term exposure	no effects on human health are known
11.1.8 Interactive effects	unknown
11.1.9 Lack of specific data	not relevant
11.1.10 Mixtures	see part 8
11.1.11 Mixtures information compared to substance information 1) Substances in the mixture can react with each other inside of a body and can cause different levels of absorption, metabolism and 2) It is necessary to consider, if concentration of each substance is sufficient to contribute to mixture's effects on health. For each substance a) if the information are doubled, they are listed only once for a substance as a whole, for example when two different substances are causing vomiting and diarrhea; b) if it is not likely the effects will appear with current concentrations, for example when weak irritating substance is dissolved in non-irritating solution to a level under certain concentration;  c) if the information about mutual effects of substances in the mixture are unavailable, no assumptions will be listed and instead effects on health of each substance will be listed.	Not relevant for this mixture. Not relevant for this mixture.  see part 8
11.1.12 Additional data:	None
11.2 Other hazards information	
11.2.1 Features causing disruption of endocrinal system	Not relevant for this mixture.
11.2.2 Other information	None
<b>12. Section 12: Ecological information</b>	
12.1 Toxicity Acute toxicity for water organisms: LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): LC <sub>50</sub> , 48 hours, (Daphnia magna): IC <sub>50</sub> , 72 hours, algae:	Not set Not set Not set
12.2 Persistence and degradability:	Not set
12.3 Bioaccumulative potential:	Not set
12.4 Mobility in soil:	It was not determined, the blend is miscible with water.
12.5 Results of PBT and vPvB	The mixture contains OKTAMETHYLCYCLOTETRASILOXANE, which was included in the List of Substances of Very High Concern subject to Authorisation (Annex XIV of REACH) by Commission Regulation (EU) 2018/35 of 10 January 2018.
12.6 Features causing disruption of endocrinal system	Unknown for this mixture
12.7 Other adverse effects: Additional data:	See Section 2 Water hazard class 1. Low water hazard (Self-assessment). The product must not leak to surface and groundwater. Notify competent authorities immediately in case of an accident.
<b>13. Section 13: Disposal considerations</b>	
13.1 Methods of waste management:  (a) Appropriate methods of disposal of the substance or mixture and contaminated packaging: Risk of environmental contamination, follow the Waste Act (as amended) and the applicable Waste Disposal Regulations (as amended). Place the unused product and contaminated packaging in marked waste collection containers and hand it over for disposal to an authorised waste disposal person (specialised company) authorised to do so. Do not dispose of unused product down the drain. It must not be disposed of with municipal waste. Empty packaging may be used for energy recovery in a waste incinerator (except for metal) or disposed of in a landfill of the appropriate classification. Completely cleaned packaging may be handed over for recycling. Always comply with the relevant national legislation!	

- b) Physical / chemical properties that can affect means of waste handling: Liquid mixture is completely miscible with water.
- c) Avoidance of disposal through sewer: Discharge into the sewer is permitted according to the conditions laid down by water authorities.
- d) Special precautions for the recommended waste management: Avoid contact with skin and eyes.

#### 14. Section 14: Transport information

14.1	UN number or ID number	Not specified
	Required shipping label:	
	ADR/RID/ADN:	Not specified
	IMDG:	Not specified
	ICAO TI:	Not specified
14.2	Proper name of the United Nations for the shipment	
	ADR/RID/ADN:	Not specified
	IMDG:	Not specified
	ICAO TI:	Not specified
14.3	Transport hazard class(es):	
	ADR/RID/ADN:	Not specified
	IMDG:	Not specified
	ICAO TI:	Not specified
14.4	Packing group:	
	ADR/RID/ADN:	Not specified
	IMDG:	Not specified
	ICAO TI:	Not specified
14.5	Environmental hazards:	Not specified
14.6	Special precautions for user:	See Section 8
	Special provisions (ADR):	Not specified
14.7	Naval mass-transport according to instrument IMO:	Not applicable
	Notes:	None
	Additional data:	None

#### 15. Section 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture.	
	Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals establishing a European Chemicals Agency, as amended	
	Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) as amended	
	Commission directive (EU) No. 878/2020	
	EH40/2005 Workplace exposure limits (second edition, published 2011). Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended)	
15.2	Assessment chemical safety of mixture:	Were not performed

#### 16. Section 16: Other informations

Information stated in this safety data sheet is based on the current knowledge of EU legislation. It is recommendation in terms of health and safety as well as recommendation related to ecological matters that are essential to safe usage of the product.

a) New edition.

b) key or legend for abbreviations and acronyms used in the safety data sheet:

LD <sub>50</sub>	The lethal dose for 50 % mortality of the test population relative to a control sample.
LC <sub>50</sub>	Lethal concentration for 50 % mortality of the test population relative to a control sample.
EC <sub>50</sub>	Effective concentration for 50 % mortality of the test population relative to a control sample.
EC <sub>10</sub>	Effective concentration for 10 % mortality of the test population relative to a control sample.
IC <sub>50</sub>	Inhibitory concentration to reduce the growth or growth rate of 50% of the test population relative to a control sample.
LL <sub>50</sub>	Lethal loading doses of test substance resulting in 50% mortality
EL <sub>50</sub>	Effective loading doses of test substance resulting in 50% mortality
PBT	Persistent, bioaccumulative and toxic substances.
vPvB	Very persistent and very bioaccumulative substances.
DNEL	Derived No Effect Level - derived concentration of the substance without adverse effects
DMEL	Derived Minimum Effect Level - derived minimum level at which the adverse effects
NOAEL	No Observed Adverse Effect Level - no negative effect was observed
PNEC	Predicted No Effect Concentration - an estimate of the concentration of the substance without adverse effects
NOELR	No Observed Effect Loading Rate - dosage rate without observed effect
NOEC	No Observed Effect Concentration - concentration without observed effect
NOEL	No Observed Effect Level - level without observed effect
LOEC	Lowest Observed Effect Concentration - lowest concentrations with observable effects



ADR	European Agreement concerning the international carriage of dangerous goods by road.
RID	Regulations concerning the international carriage of dangerous goods by rail.
IMDG	International maritime code of dangerous goods.
ICAO	The International Civil Aviation Organization.
IATA	International Air Transport Association.
GHS	Globally Harmonized System of Classification and Labelling of Chemical substances.

c) important references to literature and data sources

Initial data sources are safety data sheets of the inherent (components).

d) in case of mixture, statement about evaluation method used for classification according to article 9 of directive (ES) number 1272/2008

For evaluation purposes, principles of extrapolation were used. Calculation methods.

e) List of H-sentences, whose full form is not listed in other parts.

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Causes burns to the respiratory tract.

Guidelines for training:

As required by national legislation.

Recommended restrictions on use (i. e. non-statutory recommendations by supplier):

Product should not be used for other purposes than specified (see section 1.2). Because specific conditions of use are beyond supplier's control it is responsibility of the user to adapt notifications to local law and regulations. Safety information describe the product with regard to safety and can not be considered technical information about the product.