		SAFETY DATA SHEET			
acc	ording t	o regulation of Europian parliament and Counc according Committee regulation (EU) numb	. ,	-	AUSTIS
Date of Revision Product	n date:	03. 02. 2022 SANAKRYL AKRYLÁTOVÝ LAK PRO	Version number: 1 Replaces version: -		No. of pages: 8
1. 1.1	Product id	uct is not a nanoform, nor does it contain any nanoforms.	<pre>/undertaking SANAKRYL AKRYLÁTOVÝ LAK is not relevannt</pre>	PROFI/AL	
1.2	Relevant	identified uses of the substance or mixture and uses advised a	against:		
1.2.1	Relevant Life cycle	identified use: phases:	PW (wide use by professionals - C (consumer use)	basic)	
	Usage Na		SU0		
		age description:	anticorrosive coating material		
	Market de	Contributing Activity:	PC9a; PC15 roller or brush application non-industrial spraying technique	s	
	Contributi	ing activity description:	PROC10 PROC11		
	More info	rmation:	technical function of the product i this use:	n anticorrosive coati	ng material
			quantity to be used:	0 - 10 t / yr	
			Regulatory status by use: a limited number of devices for this use:	No No	
			the subsequent period of application relevant to this use:	24 months	
			an overview of environmental release categories for each life cycle stage:	ERC2; ERC8c; ER ERC11a	C8f; ERC10a;
100			supplied as a mixture		
1.2.2 1.3	Details of	ised against: the supplier of the safety data sheet:	all other uses		
	Producer Adress:	and supplier:	AUSTIS a. s. K Austisu 680, 154 00 PRAHA	5 - Slivenec	
		e number:	+420 251 099 111	5 - Shvenec	
	Fax: e-mail		+420 251 099 112 austis@austis.cz		
1.4	Emergen	cy telephone number: the Toxicologicaly information Na Bojišti 1, 120 00 Prague 2,	+420 251 099 247 Tel.: +420 224 919 293	+420 725 491 378	3
2.	Section	2: Hazard identification			
2.1		tion of the substance or mixture	The mixture is classified as dange	erous for the environ	ment.
2.2	Classifica Label eler	tion under Regulation 1272/2008/EU	Aquatic Chronic 2; H411		
2.2	Symbols:		GHS09		
			*		
	Signal wo	rd:	No signal word is used		
		s a hazardous substance:	trizinc bis(orthophosphate) and zi		
	Hazard S		H411: Toxic to aquatic life with lo		
	Precautionary Statement:		P273: Avoid release to the enviroP391: Collect spillage.P501: Dispose of contents/contaior disposal of hazardous waste ir	ner by incineration in	
2.3	Other haz	zards:	The mixture does not meet criteri substances. The mixture is not er contain any.		

L

	Other risks:	EUH208: It contains a reaction m number: 613-167-00-5]. May caus			
3.	Section 3: Composition / information on ingredients				
	A mixture of an aqueous dispersion of acrylic resins, pigments	, fillers and additives.			
3.2	Mixtures				
	Chemical name:	trizinc bis (orthophosphate)	zinc oxide		
	Content [%]:	< 5	< 0,15		
	Index number:	030-011-00-6	030-013-00-7		
	CAS:	7779-90-0	1314-13-2		
	EC number (EINECS):	231-944-3	215-222-5		
	REACH Registration number:	01-2119485044-40-00XX	01-2119463881-32-0XXX		
	Classification according to Directive 1272/2008/EU:	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	Aquatic Acute 1; H400 Aquatic Chronic 1; H410		
	Specific concentration limits, M-factors:	M = 1 (acute) M = 1 (chronic)	M = 1 (acute) M = 1 (chronic)		
	Chemical name:		Mixture CMIT/MIT (3:1)		
	Content [%]:		< 0,0015		
	Index number:		613-167-00-5		
	CAS:		55965-84-9		
	EC number (EINECS):		Not Assigned		
	REACH Registration number:		Not Assigned		
	Classification according to Directive 1272/2008/EU:		Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410		
	Specific concentration limits, M-factors:		Skin Corr. 1B; H314: $C \ge 0,6\%$ Eye Dam. 1; H318: $C \ge 0,6\%$ Skin Irrit. 2; H315: $0,06\% \le C < 0,6\%$ Eye Irrit. 2; H319: $0,06\% \le C < 0,6\%$ Skin Sens. 1A; H317: $C \ge 0,0015\%$ M = 100 (acute) M = 100 (chronic)		
	Full text of H - phrases in Section 16				
4.	Section 4: First aid measures				
1.1	Description of first aid measures				
	When providing first aid it is necessary to ensure safety of both victim and person rescuing. It is necessary to avoid chaotic behavior. Victim must be kept in mental and physical rest. Victim must be kept warm and must not get chilled. Take original container with label or safety data sheet with information about substance or mixture with you in case of medical examination.				
	Inhalation: Break exposure, move to fresh air protecting the victim from cold. Provide medical treatment especially if coughing, shortness of breath or other symptoms persist.				
	When on skin: Put away contaminated clothes and shoes, wash the contaminated spot with plenty of tepid water; if the skin is not irritated, soap can be used; seek doctor's advice, especially if the skin stays irritated.				
	Eye Contact: Rinse eyes with plenty of water (10 to 15 min). Keep eyes open (even by force if necessary). If the victim is wearing contact lenses remove them immediately. Seek medical attention.				
	Ingestion: Do not induce vomiting! Drink at least 0.5 liters of water with 5 to 10 tablets of crushed charcoal. In case of nausea contact the Toxicology Information Centre for need of medical treatment with information about composition of the mixture from the original container or				

Toxicology Information Centre for need of medical treatment with information about composition of the mixture from the original container or SDS.

4.2 Most important symptoms and effects, both acute and delayed

The product may have adverse effects through inhalation and if swallowed. It can irritate skin, mucous membranes and eyes.

Symptomatic treatment 4.3 Indication of any immediate medical attention and special treatment needed:

5. Section 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: The product is not inflammable. Water spray (water mist), foam, carbon dioxide, dry powder.

Unsuitable extinguishing media: The strong water current. It can be spread fire.

5.2 Specific danger linked to the substance or misxture: After evaporation of liquid particles, thick black irritating smoke is produced while burning the remaining substance is burning (CO, CO₂, soot). Inhaling of these products can be life threatening.

5.3 Advice for firefighters: wear a breathing apparatus and protective clothing.

6.			
1	Section 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures: Appropriate protective gloves, goggles, appropriate clothing, or respirator.		
6.1.1	For workers except for those intervening in emergency cases - instruction a) use of appropriate protection (including personal protective equipment clothing contamination;	•	
	b) removing possible sources of ignition, providing proper ventilation, cor	trol of dust - not relevant	
	c) emergency measures, for example necessary evacuation from danger	ous area or consultation with an expert - not relevant	
6.1.2	For workers intervening in emergency cases - instructions for appropriate materials of personal protective suits (see part 8 BL)		
6.2	Environmental precautions: Prevent environmental pollution - leakage into drains, surface water, groundwater or soil.		
6.3	Methods and materials for limitation of leaks and for cleaning:		
6.3.1	Instructions for leak limitation of spilled substance or mixture		
	a) enclose the spilled mixture, cover the canalization;		
6.3.2	 b) seal the damaged package Instructions for removal of spilled substance or mixture 		
0.5.2	Absorb with appropriate agent, hand over to authorized person for dispos	al	
6.4	Reference to other sections: See also section 7., 8 and 13.		
7.	Section 7: Handling and storage		
7.1	Measures for safe manipulation:		
7.1.1	Recomendations:		
	a) Workers handeling the product have to get familiar with health and safety rules for work and have to obey these rules. Secure escape routs (enclosing of leaked mixture, sealing of demaged packages and so on), for fire prevention (remove ignition sources, non-sparkling tools and s on) and limit the production of aerosol and dust.		
	b) Obey measures for prevention of manipulation with incompatible subs		
	 c) Store in original closed packages in temperature from +5 to +25 °C, do not expose to direct sunlight or other heat sources. d) Prevent the contamination of environment, i.e. leak into canalization, s 		
7.1.2	Instructions for general hygiene of work:		
	a) Do not eat, drink or smoke on work areas.		
	b) After working with product wash your hands with soap and water, ever	tualy use regeneration hand cream.	
	c) Before entering dining areas, remove contaminated clothing and prote	ctive equipment.	
7.2	Conditions for safe storage of substances and mixtures including incompatible substances and mixtures: Store in dry and well-ventilated storages in original closed packages in temperatures from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). I not expose to direct sunlight or other heat sources. Prevent any contact with oxidazing substances, strong acids and bases. Do not store with		
	not expose to direct sunlight or other heat sources. Prevent any contact y	with oxidazing substances, strong acids and bases. Do not store with	
7.3		with oxidazing substances, strong acids and bases. Do not store with	
7.3 8 .	not expose to direct sunlight or other heat sources. Prevent any contact Specific end use: see part 1.2; coating procedure and recomendations a	with oxidazing substances, strong acids and bases. Do not store with	
	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters:	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs):	with oxidazing substances, strong acids and bases. Do not store with	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3):	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3):	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 83 mg/kg bw/day	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 0,83 mg/kg bw/day	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations and documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	with oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 0,83 mg/kg bw/day 0,83 mg/kg bw/day	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations at documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	vith oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 0,83 mg/kg bw/day 0,83 mg/kg bw/day 20,6 µg/L	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations at documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) PNEC aqua (freshwater) PNEC aqua (marine water)	vith oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 0,83 mg/kg bw/day 0,83 mg/kg bw/day 20,6 µg/L 6,1 µg/L	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations at documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC STP	vith oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 0,83 mg/kg bw/day 0,83 mg/kg bw/day 20,6 µg/L 6,1 µg/L 100 µg/L	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations at documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) PNEC aqua (marine water) PNEC sediment (freshwater)	vith oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 0,83 mg/kg bw/day 0,83 mg/kg bw/day 20,6 µg/L 6,1 µg/L 100 µg/L 117,8 mg/kg sediment dw	
8.	not expose to direct sunlight or other heat sources. Prevent any contact of Specific end use: see part 1.2; coating procedure and recomendations at documentation. Section 8: Exposure controls / personal protection Control parameters: Exposure limits EH40/2005 (WELs): Trizinc bis(orthophosphate) (ES: 231-944-3): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC STP	vith oxidazing substances, strong acids and bases. Do not store with re listed in technical list of the product, or in other product Not Assigned 5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 2,5 mg/m ³ 83 mg/kg bw/day 83 mg/kg bw/day 0,83 mg/kg bw/day 0,83 mg/kg bw/day 20,6 µg/L 6,1 µg/L 100 µg/L	

	DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	5 mg/m ³
	NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	5 mg/m ³
	DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)	0,5 mg/m ³
	DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	83 mg/kg bw/day
	NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	83 mg/kg bw/day
	DNEL (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	2,5 mg/m ³
	NOAEC (General Population, Hazard via inhalation route, Systemic effects, Long term exposure)	2,5 mg/m ³
	DNEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	83 mg/kg bw/day
	NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	83 mg/kg bw/day
	DNEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	0,83 mg/kg bw/day
	NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	0,83 mg/kg bw/day
	PNEC aqua (freshwater)	20,6 µg/L
	PNEC aqua (marine water)	6,1 µg/L
	PNEC STP	100 μg/L
	PNEC sediment (freshwater)	117,8 mg/kg sediment dw
	PNEC sediment (marine water)	56,5 mg/kg sediment dw
	PNEC soil	35,6 mg/kg soil dw
8.2	Exposure controls	55,6 mg/kg soli dw
0.2	Ensure adequate ventilation. Ensure protective equipment is worn while	working with the product. Contaminated work clothes can be reused
	after thorough cleaning. Wash your hands and face with soap and water	o 1
8.2.1	Appropriate engineering controls: Observe the usual precautions to prote	ect the health and well-ventilated
8.2.2	Individual protection measures, such as personal protective equipment:	
0.2.2		
	Occupational exposure is governed by Directive 89/686/EEC therefore a	ny use of personal protective equipment must be in accordance with
	this Regulation.	
	a) Eyes and face protection: Suitable safety goggles (EN 166), face shile	
	b) Skin protection: Common safety clothing with long sleave and shoes;	take of the contaminated clothing and wash your skin with soap and
	water.	
	b-1) Hands protection: suitable protective gloves (made from rubber - ac	
	c) Airways protection: with proper area ventilation not required. When sp	raying, face half-shiled is recomended for gass filtration (EN 405) or
	quarter-shiled with gass filter (EN 140, EN 141).	
	d) Heat hazard: Special attention must be paid to construction of persona	
	protection against materials, which are considered to be heat hazard. No	
8.2.3	Environmental exposure controls: Avoid infiltration of surface and ground	lwater and soil.
9.	Section 9: Physical and chemical properties	
9.1.	Information on basic physical and chemical properties	
	a) State	viscous liquid
	•	milky white liquid
	b) Color	
	c) Odour:	characteristic
	Odor threshold:	Not specified
	d) Melting/Freezing point (temperature range) (°C):	approximately 0
	 e) Boiling point or initial boiling point and boiling range (°C) 	approximately 100
	f) Combustibility:	non-flammable liquid
	g) Explosion limints: upper limit (% volume):	Not specified
	lower limit (% volume):	Not specified
		Not specified
	h) Point of ignition:	Not specified
	i) Temperature of self-ignition:	
	j) Temperature of decomposition (°C):	Not specified
	k) pH (23 °C)	8,0 - 9,0
1	I) Kinematic viscosity:	Not specified
	m) Solubility (23 °C)	
	- with water:	unlimited miscibility with water
	- with fats:	Not specified
	n) Partition coefficient n - octanol/water:	Not specified
1	o) Steam pressure (20 °C):	2,3 kPa
1	σ_j steam pressure (20 σ_j).	-, • •
1		

	p) Density and/or relative density (20 °C):	approximately 1,06 g.cm ⁻³		
	q) Relative viscosity of steam (at °C):	Not specified		
9.2	r) Particles characteristics:	Not specified		
9.2 9.2.1	Other information:	is not relevant		
).2.1).2.2	Information about class of physical hazard:	is not relevant		
9.2.2	Other safety characteristics Evaporation rate:	Not specified		
	Dynamic viscosity:	Not specified		
	Explosive properties:	Not specified		
	Oxidizing properties:	Not specified		
	VOC (g/L):	49,5		
10.	Section 10: Stability and reactivity			
	Product is stable under recommended storage and handling conditions.			
10.1	Reactivity: Product is not reactive under recommended storage and har	-		
10.2	Chemical stability: Product is stable under recommended storage and h	-		
10.3	Possibility of hazardous reactions: In case of contact with substances re			
10.4	Conditions to avoid: Temperatures below 0 °C and above 100 °C cause	e degradation of the product. Temperatures above recommended		
10 5	storage temperature reduce life of the product.			
10.5 10.6	Incompatible materials: Substances reacting with water.	lefinable organic mixtures may form during human		
10.6	Hazardous Decomposition Products: Carbon monoxide and dioxide, ind	ennable organic mixtures may form during burning.		
11.	Section 11: Toxicological information			
11.1	Information about hazard classes acording to (ES) č. 1272/2008			
	a) acute toxicity:			
	- LD ₅₀ , oral, rat (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information		
	- LD ₅₀ , dermal, rat or rabbit (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information		
	- LC ₅₀ , inhalation, rat, for aerosols or particles (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information		
	- LC ₅₀ , inhalation, rat, for gases and vapours (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information		
	b) corrosivity/skin irritation:	the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information		
	c) serious eye damage / eyes irritation:			
	d) sensitivity of airways / sensitivity of skin:	the classification cirteria are not met based on avilable information		
	e) germ cells mutagenicity:	the classification cirteria are not met based on avilable information		
	f) carcinogenicity:	the classification cirteria are not met based on avilable information		
	g) toxicity for reproduction:	the classification cirteria are not met based on avilable information		
	h) toxicity for specific organs - single exposure:	the classification cirteria are not met based on avilable information		
	i) toxicity for specific organs - multiple exposures:	the classification cirteria are not met based on avilable information		
	j) hazards while inhaled:	the classification cirteria are not met based on avilable information		
	Human experience:	No detrimental effects were found upon compliance with the prescribed safety measures.		
	Tests on animals:	Were not performed		
11.1.1	Information for each hazard class or breakdown:	see above		
11.1.2	Toxicological properties of mixture	not avilable		
	Trizinc bis(orthophosphate) (ES: 231-944-3) and Zinc oxide (ES: 215-222-5)	see part 8		
11.1.3	If enough information from substance/mixture trials exist, it might be necessary to sum up results of used studies, for example according to exposure run	not relevant		
11.1.4	If the classification criteria are not met for specific hazard class, information explaining the justification should be stated.	relevant concentration limits were not exceeded		
11.1.5	Information about likely exposure run	no effects on human health are known		
11.1.6	Symptoms corresponding to physical, chemical and toxicological features	no effects on human health are known		
11.1.7	Belated and immediate effects and chronical effects of short/long term exposure	no effects on human health are known		
11.1.8	Interactive effects	unknown		
11.1.9	Lack of specific data	not relevant		
11.1.10	Mixtures	see part 8		
11.1.11	Mixtures information compared to substance information			
	1) Substances in the mixture can react with each other inside of a body and can cause different levels of absorption, metabolism and			
	2) It is necessary to consider, if concentration of each substance is sufficient to contributeto mixture's effects on health. For each substance			
	a) if the information are doubled, they are listed only once for a substance as a whole, for example when two different substances are causing vomiting and diarrhea.	Not relevant for this mixture.		

causing vomiting and diarrhea;

	b) if it is not likely the effects will appear with current concentrations, for example when weak irritating substance is disolved in non-irritating solution to a level under certain concentration;	r Not relevant for this mixture.	
	c) if the information about mutual effects of substances in the mixture are unavilable, no assumptions will be listed and instead effects on healtf of each substance will be listed.	see part 8	
11.1.12	Additional data:	None	
11.2	Other hazards information		
11.2.1	Features causing disruption of endocrinal systém	Not relevant for this mixture.	
11.2.2	Other information	None	
12.	Section 12: Ecological information		
12.1	Toxicity	Toxic to aquatic life with long lastin	a effects.
	Acute toxicity for water organisms:	Mixture	5
	- LC ₅₀ , 96 hours, fish (mg/kg):	Not set	
	- LC ₅₀ , 48 hours, fish (mg/kg):	Not set	
	- IC ₅₀ , 72 hours, algae (mg/kg):	Not set	
12.2	Persistence and degradability:	For the mixture is not known.	
12.3	Bioaccumulative potential:	For the mixture is not known.	
12.4	Mobility in soil:	It was not determined, the blend is	miscible with water
12.5	Results of PBT and vPvB	The mixture does not meet the crit vPvB.	
12.6	Features causing disruption of endocrinal systém	Unknown for this mixture	
12.7	Other adverse effects:	See Section 2	
	Additional data:	Details on the toxicity of hazardous	components are given below.
	Toxicity Data for Hazardous components		
	Component	trizinc bis (orthophosphate)	Zinc oxide
	CAS number	7779-90-0	1314-13-2
	Toxicity to algae	NOEC = 60 μg/L (72 h)	EC ₁₀ = 84 μg/L (72 h)
			NOEC = 4,9 μ g/L (72 h)
	Toxicity to fish	LC ₅₀ = 166 μg/L (96 h)	LC ₅₀ = 439 μg/L (96 h)
	Toxicity to water fleas	$LC_{50} = 1220 \ \mu g/L \ (48 \ h)$	$LC_{50} = 1220 \ \mu g/L \ (48 \ h)$
		EC ₅₀ = 860 mg/L (48 h)	EC ₅₀ = 860 mg/L (48 h)
13.	Section 13: Disposal considerations		
13.1	Methods of waste management:		
	a) Appropriate methods of substance, mixture and contaminated package		packaging with product remnants
	must be incinerated in a hazardous waste incinerator or kept at a hazard		
	b) Physical / chemical properties that can affect means of waste handlin		
	c) Avoidance of disposal through sewer: It is necessary to prevent leaka	• •	d mixture into drains.
	d) Special precautions for the recommended waste management: Avoid	contact with skin and eyes.	
14.	Section 14: Transport information		
14.1	UN number or ID number	UN3082	
1.4.1	Required shipping label:	0110002	
	ADR/RID/ADN:		
	1100		
	IMDG:		Various; MARINE POLLUTANT EMS group: F-A,S-F
	ICAO TI:	Å Å	
14.2	Proper name of the United Nations for the shipment		
	ADR/RID/ADN:		
	IMDG:	(TRIZINC BIS [ORTHOPHOSPHA ENVIRONMENTALLY HAZARDOL	
	IMD8:	(TRIZINC BIS [ORTHOPHOSPHA	
	ICAO TI:		
		(TRIZINC BIS [ORTHOPHOSPHA	
14.3	Class / classes of hazards to transportation:	-	
	ADR/RID/ADN:	9	
	IMDG:	9	
	ICAO TI:	9	

14.4	Packing	group:				
	ADR/RID		III			
	IMDG:		III			
	ICAO TI:					
14.5		iental hazards:	It is not intended to be transported in containers by inland waterways. This material presents a risk to the environment under the criteria of the Model UN regulation of hazardous products and / or pollutants according to the IMDG Code.			
14.6	Special p	recautions for user:	See Section 8			
11.0	· ·	rovisions (ADR):	274: The provisions of subsection 3.1.2.8 apply (ADR). Symbol (fish			
			and tree)			
14.7		ss-transport according to instrumenst IMO:	Not applicable			
	Notes:		None			
	Additiona	l data:	None			
15.	Section	15: Regulatory information				
15.1	Safety, h	ealth and environmental regulations/legislation spec	ific for the substance or mixture.			
	Restrictio	n of Chemicals establishing a European Chemicals				
	Regulatio	n of the European Parliament and Council Regulation	on (EC) No 1272/2008 (CLP) as amended			
		on directive (EU) No. 878/2020				
		05 Workplace exposure limits (second edition, public f Substances Hazardous to Health Regulations (as a	shed 2011). Containing the list of workplace exposure limits for use with the amended)			
15.2	Assessm	ent chemical safety of mixture:	Were not performed			
16.	Section	16: Other informations				
	Information stated in this safety data sheet is based on the current knowledge of EU legislation. It is recommendation in terms of health and safety as well as recommendation related to ecological matters that are essential to safe usage of the product.					
	a) New edition.					
	h) key or	legend for abbreviations and accronyms used in the	e safety data sheet			
		LD ₅₀ The lethal dose for 50 % mortality of the test population relative to a control sample.				
		LC ₅₀ Lethal concentration for 50 % mortality of the test population relative to a control sample.				
	EC_{50} Effective concentration for 50 % mortality of the test population relative to a control sample.					
		EC ₁₀ Effective concentration for 10 % mortality of the test population relative to a control sample.				
		IC ₅₀ Inhibitory concentration to reduce the growth or growth rate of 50% of the test population relative to a control sample.				
	LL_{50}	Lethal loading doses of test substance resulting in				
	EL ₅₀					
	PBT					
	vPvB	vPvB Very persistent and very bioaccumulative substances.				
	DNEL Derived No Effect Level - derived concentration of the substance without adverse effects					
	DMEL Derived Minimum Effect Level - derived minimum level at which the adverse effects					
	NOAEL No Observed Adverse Effect Level - no negative effect was observed					
	PNEC Predicted No Effect Concentration - an estimate of the concentration of the substance without adverse effects					
	NOELR No Observed Effect Loading Rate - dosage rate without observed effect					
	NOEC No Observed Effect Concentration - concentration without observed effect					
	NOEL	No Observed Effect Level - level without observed				
	LOEC	Lowest Observed Effect Concentration - lowest co				
	ADR					
		RID Regulations concerning the international carriage of dangerous goods by road.				
	IMDG International maritime code of dangerous goods.					
	ICAO The International Civil Aviation Organization.					
	IATA International Air Transport Association.					
	GHS	Globally Harmonized System of Classification and	a Labelling of Chemical substances.			
	c) important references to literature and data sources					
	Initial data sources are safety data sheets of the inherent (components).					
	,	e of mixture, statement about evaluation method use	ed for classification according to article 9 of directive (ES) number 1272/2008			

e) List of H-sentences, whose full form is not listed in other parts.

For evaluation purposes, principles of extrapolation were used. Calculation methods.

H301 Toxic if swallowed.

H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Guidelines for training:

As required by national legislation.

Recommended restrictions on use (i. e. non-statutory recommendations by supplier):

Product should not be used for other purposes than specified (see section 1.2). Because specific conditions of use are beyond supplier's control it is responsibility of the user to adapt notifications to local law and regulations. Safety information describe the product with regard to safety and can not be considered technical information about the product.